



TC-6359

Sample No : HM24-000401.001-A
JOE No : HM24-000401
ULR No : TC635924000001221F

Issue Date : 13/06/2024
Report Control No : HMR0000028347

Sample Not Drawn by Laboratory

Customer Provided Information

Sample Name : LIMESTONE
Customer Name : SANA MINES AND MINERALS
Customer Address : 7-80-B1-A2, NADIGADDA STREET, NANDYAL, Kurnool,
City : NANDYAL **Postal Code** : 518501
State : Andhra Pradesh **Country** : INDIA
Phone Number : +919440092943
Sample Mark : Sample - 01
Sample Qty : 2.018 Kgs
Sample Condition : Uncrushed and Unsealed
Data Provided By Customer : Customer Name, Address, Sample Description, Sample Mark, Sample Quantity & Test protocol
Sample Size : 40-50 mm

Lab Provided Information

Sample Received Date : 08/06/2024 **Registration Date** : 08/06/2024
Test Start-End Date : 08/06/2024 - 13/06/2024

Group : Ores and Minerals : Limestone & Dolomite

NABL Accredited Tests

Test Name	Test Protocol	Test Results
DISCIPLINE: CHEMICAL		
Calcium Oxide as CaO%	IS 1760 (Part 3) : 1992 Reaffirmed 2022	44.64
Magnesium Oxide as MgO%	IS 1760 (Part 3) : 1992 Reaffirmed 2022	0.60
Silica as SiO ₂ %	IS 1760 (Part 2) : 1991 Reaffirmed 2022	12.74
Ferric Oxide as Fe ₂ O ₃ %	IHM 02 / WI 14 / Ver 1.2: 2019	1.71
Alumina as Al ₂ O ₃ %	IHM 02 / WI 14 / Ver 1.2: 2019	1.00
Loss on Ignition%	IS 1760 (Part 1) : 1991 Reaffirmed 2022	36.45

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgsgroup.in/Service-Terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents www.sgsgroup.in/terms_e-document.htm <http://www.sgsgroup.in/terms_e-document.htm>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

By nature of the sample moisture can't be stored for a period of 30 days. Moisture sample will be analyzed and disposed after completion of the test

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer.



TC-6359

Sample No : HM24-000401.001-A
JOE No : HM24-000401
ULR No : TC635924000001221F

Issue Date : 13/06/2024
Report Control No : HMR0000028347

Sample Not Drawn by Laboratory

Per pro SGS India Private Ltd

Ashok Kumar Metta
Technical Manager
Authorized Signatory

End of Report

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgsgroup.in/Service-Terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents www.sgs.com/terms_e-document.htm <http://www.sgs.com/terms_e-document.htm>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

By nature of the sample moisture can't be stored for a period of 30 days. Moisture sample will be analyzed and disposed after completion of the test

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer.